



IQShare --- Wireless Presentation System



Specifications

Name	IQShare
Model	WP40
Video Outputs	HDMI 1.4, comply with HDCP
Frame Rate	Up to 60 fps depending on environment (UHD)
Output Resolution	Max 3840*2160P(4K)
Input Resolution (wireless transmission)	Max 3840*2160P(4K)
Simultaneous Connections(Buttons)	8 pcs
Max. Display Windows	4 pcs
Audio	Stereo, Radio quality 16bits 48KHz
Wireless Transmission Band	2.4 GHz & 5 GHz (dual band WIFI)
Wireless Transmission Protocol	IEEE 802.11 a/b/g/n




IQShare --- Wireless Presentation System

Data rate Wireless	Up to 800Mb
Authentication Protocol	WPA2-PSK(Pre-Share Key)
Security(encryption)	AES
Support OS	Windows7/8/10, Mac OS, Chrome OS, Android, Linux, IOS 8.0 and above
Receiving Distance	Max. 35m between IQShare Box and IQShare Button
Operating Temperature	-10°~ 65°
IQShare Box	
Model	WP40
Interface	HDMI OUT 1.4*1, USB*2, RJ45*1, Earphone*1, DC Power Jack*1
System	Android 9.0
Main Frequency	1.1GHz-1.5GHz
Cores	4*Cortex-A53
RAM	2G
ROM	8G
Power Supply	DC5V, 2A
Power Consumption	24W
Dimension(W*H*D)(mm)	145*104*23
Weight	260g

IQShare WP40

Interfaces

- ① Audio
- ② LAN
- ③ HDMI interface
- ④ USB interface
- ⑤ USB interface
- ⑥ DC Power Jack
- ⑦ Reset



Dimension (Unit: mm)





IQShare Button Gen 2 USB-C (Optional)




Specifications

Name	IQShare Button Gen 2
Model	C4
Touch Back Control	10 Points (Linux, Windows, Chrome) Mouse Mode(Mac)
Wireless transmission protocol	IEEE 802.11 a/b/g/n
Wi-Fi standard	2.4 GHz & 5 GHz
Input resolution	BYOD mode: Up to 4K 30FPS BYOM mode: Up to 720P 30FPS
Video Standard	DP 1.2, eDP 1.4
Audio rate	16bit 44KHz
Authentication Protocol	WPA2 Personal (WPA2-PSK)
Security(encryption)	AES
Button	Cast Button*1; Custom Button*1 (Only Windows and Mac OS are supported) ;
Cable	USB Type C(With DisplayPort Alternate Mode)
Dimension(W*H*D)(mm)	63*175*17
Weight	80g±2g
Power	5V,0.9A,Max 4.5W



IQShare Button Gen 2 HDMI (Optional)



Specifications

Name	IQShare Button Gen 2
Model	H3
Touch Back Control	10 Points (Linux, Windows, Chrome) Mouse Mode(Mac)
Wireless Transmission Protocol	IEEE 802.11 a/b/g/n
Wi-Fi standard	2.4 GHz & 5 GHz
Input resolution	BYOD mode: Up to 4K 30FPS BYOM mode: Up to 720P 30FPS
Video Standard	HDMI 1.4
Audio rate	16bit 44KHz
Authentication Protocol	WPA2 Personal (WPA2-PSK)
Security(encryption)	AES
Button	Cast Button*1; Custom Button*1 (Only Windows and Mac OS are supported) ;
Cable	USB Type A: HDMI
Dimension(mm)	63*175*17
Weight	97.5g±2g
Power	5V,0.9A,Max 4.5W



IQShare Button Gen 2 USB-A (Optional)







Specifications

Name	IQShare Button Gen 2
Model	U3
Touch Back Control	10 Points (Windows) Mouse Mode(Mac)
Wireless Transmission Protocol	IEEE 802.11 a/b/g/n
Wi-Fi standard	2.4 GHz & 5 GHz
Input Resolution	BYOD mode: Up to 4K 30FPS
Video Standard	N/A
Audio Rate	16bit 44KHz
Authentication Protocol	WPA2 Personal (WPA2-PSK)
Security(encryption)	AES
Button	Cast Button*1; Custom Button*1 (Only Windows and Mac OS are supported) ;
Cable	USB Type A
Dimension(W*H*D)(mm)	63*175*17
Weight	85g±2g
Power	5V 0.9A, Max 2.5W



IQShare --- Wireless Presentation System

	Model	Product
IQShare Box	WP40	
IQShare Button	C4	
	H3	
	U3	

 IQ Board Australia

 6 Lakewood Blvd, Carrum Downs Victoria, 3201 AUSTRALIA

 1300 472 627 (1300 IQBOARD)

 www.iqboard.com.au

 enquiries@iqboard.com.au